ELSEVIER

Journal of Organometallic Chemistry 552 (1998) 319–320

Journal of Organometallic Chemistry

Author Index of Volume 552

Ahlgrén, M., 205

Basato, M., 277
Baxter, P.N.W., 205
Bayersdörfer, R., 187
Beck, W., 237
Benfield, R.E., 205
Bertagnolli, H., 229
Bertani, C., 277
Biesemans, M., 177
Bildstein, B., 45
Boese, R., 247
Böhm, A., 237
Böhme, U., 213
Bowden, K., 1
Bruce, M.I., 109
Burzlaff, N., 91
Butler, I.R., 63

Canty, A.J., 23
Cecchi, P., 31
Chan, M.C.-W., 255
Che, C.-M., 255
Cheung, K.-K., 255
Chiang, M.Y., 135
Coacci, K., 31
Connor, J.A., 205

Da Silva, J.J.R.F., 17
Deacon, G.B., 165
Desmet, M., 69
Dombrowski, E., 91

Englert, U., 187
Ertel, T.S., 229

Field, J.S., 69
Finkelmann, H., 171
Fontani, M., 265
Furlan, M., 127

Ganter, B., 187
Gielen, M., 177
Gioia Lobbia, G., 31
Giordano, F., 31
Głowiak, T., 159
Goldfuss, B., 285
Grassi, A., 277
Gutmann, T., 83, 91
Gyepes, R., 293

Hampel, F., 285
Handschuh, S., 285
Harris, S.C., 165
Haukka, M., 205
Heins, W., 229
Hemling, H., 195
Herrmann, R., 17
Herzog, U., 99
Hinchliffe, J.R., 109
Hoare, J.L., 23
Homanen, P., 205
Horáček, M., 75
Hörner, W., 229
Hritzová, O., 1
Hrnčiar, P., 1
Hsu, M.-A., 135
Humphrey, P.A., 109

Inoue, K., 303
Ishikawa, J.-i., 303
Itoh, M., 303

Jääskeläinen, S., 9
Jacob, K., 265
Jutzi, P., 221

Kamigata, N., 39
Keim, W., 187
Kopacka, H., 45
Kühlkamp, P., 69
Kupfer, V., 75

Laschat, S., 171
Lee, B.Y., 313
Lee, F.-W., 255
Lippert, B., 127

Mach, K., 75
Maiwald, S., 195
Malaun, M., 45
Mayer, H.A., 229
Meddour, A., 177
Merzweiler, K., 265
Meyer, G., 165
Milius, W., 247
Müller, B., 75

Neumann, B., 221

Oh, J.S., 313
Ongania, K.-H., 45

Pakkanen, T.A., 9, 205
Palitzsch, W., 213
Parchment, O.G., 247
Perjéssy, A., 1
Pietzsch, C., 265
Pilotek, S., 221
Podlaha, J., 293
Polášek, M., 293
Polborn, K., 237
Pombeiro, A.J.L., 17
Prónayová, N., 1

Quayle, S.C., 63

Randaccio, L., 127
Ranson, R.J., 1
Räsänen, T.M., 9
Raubenheimer, H.G., 69
Ribot, F., 177
Roewer, G., 99, 213

Sanchez, C., 177
Santini, C., 31
Schenk, W.A., 83, 91
Schiesser, C.H., 145
Schneider, A., 171
Schulte, J.L., 171
Schulte-Ladbeck, R., 171
Schumann, H., 195
Schwarze, B., 247
Sesto, B., 277
Shimizu, T., 39
Skelton, B.W., 23, 109
Skidmore, M.A., 145
Stammler, H.-G., 221
Stellfeldt, D., 165
Štěpnička, P., 293
Stößel, P., 229
Sünkel, K., 237
Surynt, R.J., 109
Šusteková, Z., 1

Taube, R., 195
Thewalt, U., 75

Elsevier Science S.A.

Tiekink, E.R.T., 177
Tong, Y.-Y., 17
Trommer, K., 99
Trzeciak, A.M., 159

Udodaira, K., 39

Valle, G., 277
Van Koten, G., 23
Vogt, D., 187
Voigt, F., 265
Von Arnim, V., 171
Von Ragué Schleyer, P., 285

Wagner, C., 265
Wagner, G., 17
Webb, G.A., 247
White, A.H., 23, 109
Wilkinson, D.L., 165
Willem, R., 177
Wrackmeyer, B., 247
Wurst, K., 45

Yeh, W.-Y., 135
Yoshikawa, M., 39

Zamora, F., 127
Zanello, P., 265
Zangrando, E., 127
Zecca, M., 277
Zelesny, G., 165
Ziółkowski, J.J., 159

ELSEVIER

Journal of Organometallic Chemistry 552 (1998) 321–326

Journal of Organometallic Chemistry

Subject Index of Volume 552

Ab initio computations
New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [*t*-Bu–HN–$SiMe_2$–*o*-C_6H_4–X] (X = OMe, NMe_2, CH_2NMe_2, CF_3) (B. Goldfuss, P. Von Ragué Schleyer, S. Handschuh and F. Hampel), 285

Acetonitrile
Cyclic voltammetry of heterocyclic Au(I) and Au(III) carbene complexes (P. Kühlkamp, H.G. Raubenheimer, J.S. Field and M. Desmet), 69
Syntheses, characterization and structures of $CpFe(CO)(\mu\text{-}I)(\mu\text{-}dppm)M(CO)_4$ (M = Cr, Mo, W) (M.-A. Hsu, W.-Y. Yeh and M.Y. Chiang), 135

Alkaline hydrolysis
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1

Alkyl radicals
Reversibility in free-radical reactions of aryltellurides with tributylstannyl, tributylgermyl and tris(trimethylsilyl)silyl radicals (C.H. Schiesser and M.A. Skidmore), 145

Alkyne complexes
Bimetallic complexes. IV. Synthesis, dynamic behavior and reactions of $C_5H_4PPh_2$-bridged Zr(II)–Mo(0) complexes (W.A. Schenk and T. Gutmann), 83

Allyl
LII. Synthese und Charakterisierung von Bis- und Mono-(η^3-allyl) neodym(III) –chlorid, $Nd(\eta^3\text{-}C_3H_5)_2Cl \cdot 1.5$ THF und $Nd(\eta 3\text{-}C_3H_5)Cl_2 \cdot 2$THF, zur Gewinnung hoch aktiver und selektiver Komplexkatalysatoren für die 1,4-*cis*-Polymerisation des Butadiens (S. Maiwald, R. Taube, H. Hemling and H. Schumann), 195

Amides
New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [*t*-Bu–HN–$SiMe_2$–*o*-C_6H_4–X] (X = OMe, NMe_2, CH_2NMe_2, CF_3) (B. Goldfuss, P. Von Ragué Schleyer, S. Handschuh and F. Hampel), 285

Aminoferrocene
The synthesis and characterisation of heterosubstituted aminoferrocenes (I.R. Butler and S.C. Quayle), 63

Arsenic
Synthese und Charakterisierung neuer Cyclopentadienylarsen-Verbindungen (P. Jutzi, S. Pilotek, B. Neumann and H.-G. Stammler), 221

Aryltellurides
Reversibility in free-radical reactions of aryltellurides with tributylstannyl, tributylgermyl and tris(trimethylsilyl)silyl radicals (C.H. Schiesser and M.A. Skidmore), 145

Bimetallic complexes
Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium-rhenium complexes (T. Gutmann, E. Dombrowski, N. Burzlaff and W.A. Schenk), 91

Bipyridine
Ruthenium bipyridine complexes: synthesis and characterisation of $Ru(tmbpy)(CO)_2Cl_2$, $Ru(dmbpy)(CO)_2Cl_2$ and $[Ru(dmbpy)(CO)_2Cl]_2$ (P. Homanen, M. Haukka, M. Ahlgrén, T.A. Pakkanen, P.N.W. Baxter, R.E. Benfield and J.A. Connor), 205

Bis[dicarboxylatotetraorganodistannoxanes]
On the assignment of ^{119}Sn resonances of bis[dicarboxylatotetraorganodistannoxanes] in solution and solid state ^{119}Sn NMR spectra (F. Ribot, C. Sanchez, A. Meddour, M. Gielen, E.R.T. Tiekink, M. Biesemans and R. Willem), 177

Borates
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247

Boron
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247

Butadiene
LII. Synthese und Charakterisierung von Bis- und Mono-(η^3-allyl) neodym(III) –chlorid, $Nd(\eta^3\text{-}C_3H_5)_2Cl \cdot 1.5$ THF und $Nd(\eta 3\text{-}C_3H_5)Cl_2 \cdot 2$THF, zur Gewinnung hoch aktiver und selektiver Komplexkatalysatoren für die 1,4-*cis*-Polymerisation des Butadiens (S. Maiwald, R. Taube, H. Hemling and H. Schumann), 195

Carbene
Cyclic voltammetry of heterocyclic Au(I) and Au(III) carbene complexes (P. Kühlkamp, H.G. Raubenheimer, J.S. Field and M. Desmet), 69
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45

Carbonyl
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
Ruthenium bipyridine complexes: synthesis and characterisation of $Ru(tmbpy)(CO)_2Cl_2$, $Ru(dmbpy)(CO)_2Cl_2$ and $[Ru(dmbpy)(CO)_2Cl]_2$ (P. Homanen, M. Haukka, M. Ahlgrén, T.A. Pakkanen, P.N.W. Baxter, R.E. Benfield and J.A. Connor), 205

Carbonyl chlorocomplexes
Control of the basicity of the Ir(tdppcymome)(CO)Cl complex with methoxymethyl functional groups at the ligand backbone [tdppcymome = *cis,cis*-1,3,5-$(PPh_2)_3$-1,3,5-$(CH_2OCH_3)_3$-C_6H_6] (P. Stößel, W. Heins, H.A. Mayer, W. Hörner, T.S. Ertel and H. Bertagnolli), 229

Carbonyl complexes
Metal complexes of biologically important ligands, XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff bases from α-amino acid esters with manganese (I) and rhenium (I) carbonyls (A. Böhm, K. Sünkel, K. Polborn and W. Beck), 237

Elsevier Science S.A.

Carbyne complexes
Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative (F.-W. Lee, M.C.-W. Chan, K.-K. Cheung and C.-M. Che), 255
Catalysis
LII. Synthese und Charakterisierung von Bis- und Mono-(η^3-allyl) neodym(III) –chlorid, Nd(η^3-C_3H_5)$_2$Cl · 1.5 THF und Nd(η3-C_3H_5)Cl_2 · 2THF, zur Gewinnung hoch aktiver und selektiver Komplexkatalysatoren für die 1,4-*cis*-Polymerisation des Butadiens (S. Maiwald, R. Taube, H. Hemling and H. Schumann), 195
Catalytic reaction
Reactions of trichloromethanesulfonyl chloride and carbon tetrachloride with silyl enol ethers catalyzed by a ruthenium(II) phosphine complex (N. Kamigata, K. Udodaira, M. Yoshikawa and T. Shimizu), 39
C–F activation
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric [YbCp$_2$F(THF)]$_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165
Chromium
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
Chromium arene complex
Preparation of (η^6-alkoxytriphenylene)tricarbonyl chromium(0) complexes. Mesomorphic properties of a disk-shaped chromium–arene complex (J.L. Schulte, S. Laschat, R. Schulte-Ladbeck, V. Von Arnim, A. Schneider and H. Finkelmann), 171
Codimerization
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187
C-protected
The synthesis and characterisation of heterosubstituted aminoferrocenes (I.R. Butler and S.C. Quayle), 63
Crystal structure
Au^{III} binding to C5 of the model nucleobase 1,3-dimethyluracil (1,3-DimeU): Preparation and X-ray crystal structures of *trans*-K[Au(CN)$_2$Cl(1,3-DimeU$^-$)] and of two derivatives (F. Zamora, E. Zangrando, M. Furlan, L. Randaccio and B. Lippert), 127
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-$CH_2C_6H_4P(o\text{-tolyl})_2$-*C*,*P*}{(pz)$_3$BH-*N*,*N*′} and Pd($C_6H_4C_5H_4$N-$C^2$,*N*′){(pz)$_3$BH-*N*,*N*′} (A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. Van Koten), 23
Cyclic voltammetry
Cyclic voltammetry of heterocyclic Au(I) and Au(III) carbene complexes (P. Kühlkamp, H.G. Raubenheimer, J.S. Field and M. Desmet), 69
Cyclometallation
Metal complexes of biologically important ligands, XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff bases from α-amino acid esters with manganese (I) and rhenium (I) carbonyls (A. Böhm, K. Sünkel, K. Polborn and W. Beck), 237
Cyclopalladation
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-$CH_2C_6H_4P(o\text{-tolyl})_2$-*C*,*P*}{(pz)$_3$BH-*N*,*N*′} and Pd($C_6H_4C_5H_4$N-$C^2$,*N*′){(pz)$_3$BH-*N*,*N*′} (A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. Van Koten), 23
Cyclopentadienyl
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric [YbCp$_2$F(THF)]$_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165
Cyclopentadienyl-ligands
Synthese und Charakterisierung neuer Cyclopentadienylarsen-Verbindungen (P. Jutzi, S. Pilotek, B. Neumann and H.-G. Stammler), 221
Cyclovoltametry
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265

2-(Dimethylaminomethyl)ferrocenyl
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265
Disilanes
Synthesis and characterization of new disilane derivatives of tungsten (W. Palitzsch, U. Böhme and G. Roewer), 213

Electrochemistry
Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative (F.-W. Lee, M.C.-W. Chan, K.-K. Cheung and C.-M. Che), 255
Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes (Y.-Y. Tong, J.J.R.F. Da Silva, A.J.L. Pombeiro, G. Wagner and R. Herrmann), 17
Energy barriers
Reversibility in free-radical reactions of aryltellurides with tributylstannyl, tributylgermyl and tris(trimethylsilyl)silyl radicals (C.H. Schiesser and M.A. Skidmore), 145
ESR spectrum
Reactions of (trimethylsilyl)tetramethylcyclopentadiene with (benzene)titanium(II) bis(tetrachloroaluminate). Crystal structures of [C_5Me_4(SiMe_3)]Ti($AlCl_4$)$_2$ and {[C_5Me_4(SiMe_3)]Ti($AlCl_4$)(μ-Cl)}$_2$ (M. Horáček, V. Kupfer, B. Müller, U. Thewalt and K. Mach), 75
Ethylene
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187
Ethynylbenzene
Dehydrogenative cross-coupling reactions between phenylsilane and ethynylbenzene in the presence of metal hydrides (J.-i. Ishikawa, K. Inoue and M. Itoh), 303
EXAFS
Control of the basicity of the Ir(tdppcymome)(CO)Cl complex with methoxymethyl functional groups at the ligand backbone [tdppcymome = *cis*,*cis*-1,3,5-(PPh_2)$_3$-1,3,5-(CH_2OCH_3)$_3$-C_6H_6] (P. Stößel, W. Heins, H.A. Mayer, W. Hörner, T.S. Ertel and H. Bertagnolli), 229

Fermi resonance
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
Ferrocene
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45

Ferrocenylalkyl isocyanides
Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes (Y.-Y. Tong, J.J.R.F. Da Silva, A.J.L. Pombeiro, G. Wagner and R. Herrmann), 17
Ferrocenyl ligands
Synthesis and structural characterization of Pd(II) and Pt(II) complexes with *P*-bonded 1'-(diphenylphosphino)ferrocenecarboxylic acid (P. Štěpnička, J. Podlaha, R. Gyepes and M. Polášek), 293
Fluoride
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric $[YbCp_2F(THF)]_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165
Four-component reactions
Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes (Y.-Y. Tong, J.J.R.F. Da Silva, A.J.L. Pombeiro, G. Wagner and R. Herrmann), 17

Gold
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265
Gold(I) complexes
Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes (Y.-Y. Tong, J.J.R.F. Da Silva, A.J.L. Pombeiro, G. Wagner and R. Herrmann), 17
Gold(III)
Au^{III} binding to C5 of the model nucleobase 1,3-dimethyluracil (1,3-DimeU): Preparation and X-ray crystal structures of *trans*-$K[Au(CN)_2Cl(1,3\text{-}DimeU^-)]$ and of two derivatives (F. Zamora, E. Zangrando, M. Furlan, L. Randaccio and B. Lippert), 127
Group 6 metals
Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative (F.-W. Lee, M.C.-W. Chan, K.-K. Cheung and C.-M. Che), 255

Heterobimetallic complexes
Syntheses, characterization and structures of $CpFe(CO)(\mu\text{-}I)(\mu\text{-}dppm)M(CO)_4$ (M = Cr, Mo, W) (M.-A. Hsu, W.-Y. Yeh and M.Y. Chiang), 135
^{199}Hg
Metal polypyrazolylborates. XIV. Organomercury(II) complexes with hydridotris(3,5-diphenyl-1*H*-pyrazolyl) borate and hydridotris(4-bromo-1*H*-pyrazolyl) borate. The X-ray crystal structure of $[HB(3,5\text{-}Ph_2pz)_3]HgC_2H_5$ (G. Gioia Lobbia, C. Santini, F. Giordano, P. Cecchi and K. Coacci), 31
$HRh(CO)[P(NC_4H_4)_3]_3$
Rhodium complexes $HRh[P(NC_4H_4)_3]_4$ and $HRh(CO)[P(NC_4H_4)_3]_3$ as active catalysts of olefins and arenes hydrogenation. X-ray structure of $HRh(CO)[P(NC_4H_4)_3]_3$ (A.M. Trzeciak, T. Głowiak and J.J. Ziółkowski), 159
$HRh[P(NC_4H_4)_3]_4$
Rhodium complexes $HRh[P(NC_4H_4)_3]_4$ and $HRh(CO)[P(NC_4H_4)_3]_3$ as active catalysts of olefins and arenes hydrogenation. X-ray structure of $HRh(CO)[P(NC_4H_4)_3]_3$ (A.M. Trzeciak, T. Głowiak and J.J. Ziółkowski), 159
Hydride
Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium-rhenium complexes (T. Gutmann, E. Dombrowski, N. Burzlaff and W.A. Schenk), 91
Hydroboration
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247

Hydrovinylation
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187

Infrared spectroscopy
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
Insertion reactions
Bimetallic complexes. IV. Synthesis, dynamic behavior and reactions of $C_5H_4PPh_2$-bridged Zr(II)–Mo(0) complexes (W.A. Schenk and T. Gutmann), 83
Iridium
Control of the basicity of the Ir(tdppcymome)(CO)Cl complex with methoxymethyl functional groups at the ligand backbone [tdppcymome = *cis*,*cis*-1,3,5-$(PPh_2)_3$-1,3,5-$(CH_2OCH_3)_3$-C_6H_6] (P. Stößel, W. Heins, H.A. Mayer, W. Hörner, T.S. Ertel and H. Bertagnolli), 229
Iron
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45

Kinetics
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1

β-Lactams
Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes (Y.-Y. Tong, J.J.R.F. Da Silva, A.J.L. Pombeiro, G. Wagner and R. Herrmann), 17
Lithium
New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [*t*-Bu–HN–$SiMe_2$–*o*-C_6H_4–X] (X = OMe, NMe_2, CH_2NMe_2, CF_3) (B. Goldfuss, P. Von Ragué Schleyer, S. Handschuh and F. Hampel), 285

Macrocyclic amine ligands
Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative (F.-W. Lee, M.C.-W. Chan, K.-K. Cheung and C.-M. Che), 255
Magnesium
New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [*t*-Bu–HN–$SiMe_2$–*o*-C_6H_4–X] (X = OMe, NMe_2, CH_2NMe_2, CF_3) (B. Goldfuss, P. Von Ragué Schleyer, S. Handschuh and F. Hampel), 285
Manganese
Metal complexes of biologically important ligands, XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff bases from α-amino acid esters with manganese (I) and rhenium (I) carbonyls (A. Böhm, K. Sünkel, K. Polborn and W. Beck), 237
Mercury
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45
Mercury(II) complexes
Metal polypyrazolylborates. XIV. Organomercury(II) complexes with hydridotris(3,5-diphenyl-1*H*-pyrazolyl) borate and hydridotris(4-bromo-1*H*-pyrazolyl) borate. The X-ray crystal structure of $[HB(3,5\text{-}Ph_2pz)_3]HgC_2H_5$ (G. Gioia Lobbia, C. Santini, F. Giordano, P. Cecchi and K. Coacci), 31

Metal hydrides
Dehydrogenative cross-coupling reactions between phenylsilane and ethynylbenzene in the presence of metal hydrides (J.-i. Ishikawa, K. Inoue and M. Itoh), 303
Metallocene
Ethylene polymerization by zirconocene compounds having ether bonds (B.Y. Lee and J.S. Oh), 313
Metallomesogen
Preparation of (η^6-alkoxytriphenylene)tricarbonyl chromium(0) complexes. Mesomorphic properties of a disk-shaped chromium–arene complex (J.L. Schulte, S. Laschat, R. Schulte-Ladbeck, V. Von Arnim, A. Schneider and H. Finkelmann), 171
Metal–metal bonds
Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium-rhenium complexes (T. Gutmann, E. Dombrowski, N. Burzlaff and W.A. Schenk), 91
Methylchlorodisilanes
Preparation and NMR spectroscopical investigations of (diethylamino)(methoxy)-methylchlorodi– and –trisilanes (U. Herzog, K. Trommer and G. Roewer), 99
Methylchlorotrisilanes
Preparation and NMR spectroscopical investigations of (diethylamino)(methoxy)-methylchlorodi– and –trisilanes (U. Herzog, K. Trommer and G. Roewer), 99
MO calculations
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247
MOCVD
Synthese und Charakterisierung neuer Cyclopentadienylarsen-Verbindungen (P. Jutzi, S. Pilotek, B. Neumann and H.-G. Stammler), 221
Molecular orbital studies
Reversibility in free-radical reactions of aryltellurides with tributylstannyl, tributylgermyl and tris(trimethylsilyl)silyl radicals (C.H. Schiesser and M.A. Skidmore), 145
Molybdenum
Bimetallic complexes. IV. Synthesis, dynamic behavior and reactions of $C_5H_4PPh_2$-bridged Zr(II)–Mo(0) complexes (W.A. Schenk and T. Gutmann), 83
Mössbauer spectroscopy
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265

Nematic liquid crystal
Preparation of (η^6-alkoxytriphenylene)tricarbonyl chromium(0) complexes. Mesomorphic properties of a disk-shaped chromium–arene complex (J.L. Schulte, S. Laschat, R. Schulte-Ladbeck, V. Von Arnim, A. Schneider and H. Finkelmann), 171
Neodym
LII. Synthese und Charakterisierung von Bis- und Mono-(η^3-allyl) neodym(III) –chlorid, Nd(η^3-C_3H_5) $_2Cl \cdot 1.5$ THF und Nd(η3-C_3H_5) $Cl_2 \cdot 2$THF, zur Gewinnung hoch aktiver und selektiver Komplexkatalysatoren für die 1,4-*cis*-Polymerisation des Butadiens (S. Maiwald, R. Taube, H. Hemling and H. Schumann), 195
NMR spectroscopy
Preparation and NMR spectroscopical investigations of (diethylamino)(methoxy)-methylchlorodi– and –trisilanes (U. Herzog, K. Trommer and G. Roewer), 99
Norbornadiene
Syntheses, characterization and structures of CpFe(CO)(μ-I)(μ-dppm)M(CO)$_4$ (M = Cr, Mo, W) (M.-A. Hsu, W.-Y. Yeh and M.Y. Chiang), 135
Nuclear magnetic resonance
Heterobimetallische 2-(Dimethylaminomethyl) ferrocenyl-Derivate des einwertigen Goldes (K. Jacob, F. Voigt, K. Merzweiler, C. Wagner, P. Zanello, M. Fontani and C. Pietzsch), 265
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
Nucleobase
Au^{III} binding to C5 of the model nucleobase 1,3-dimethyluracil (1,3-DimeU): Preparation and X-ray crystal structures of *trans*-K[Au(CN)$_2$Cl(1,3-DimeU$^-$)] and of two derivatives (F. Zamora, E. Zangrando, M. Furlan, L. Randaccio and B. Lippert), 127

Olefins and arenes hydrogenation
Rhodium complexes HRh[P(NC$_4$H$_4$)$_3$]$_4$ and HRh(CO)[P(NC$_4$H$_4$)$_3$]$_3$ as active catalysts of olefins and arenes hydrogenation. X-ray structure of HRh(CO)[P(NC$_4$H$_4$)$_3$]$_3$ (A.M. Trzeciak, T. Głowiak and J.J. Ziółkowski), 159
Oxidation
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric [YbCp$_2$F(THF)]$_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165

Palladium
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-CH$_2$C$_6$H$_4$P(*o*-tolyl)$_2$-*C*,*P*}{(pz)$_3$BH-*N*,*N*′} and Pd(C$_6$H$_4$C$_5$H$_4$N-C^2,*N*′){(pz)$_3$BH-*N*,*N*′} (A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. Van Koten), 23
Synthesis and structural characterization of Pd(II) and Pt(II) complexes with *P*-bonded 1′-(diphenylphosphino)ferrocenecarboxylic acid (P. Štěpnička, J. Podlaha, R. Gyepes and M. Polášek), 293
The coordination ability of the organometallic sulfur ligand [Pd$_3$(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)$_3$] and the XRD structure of its palladium(II) complex [Pd$_4$(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)(μ_3-MeSCHCO$_2$Et-*C*, κ^2*S*)$_2$(η^2-MeSCHCO$_2$Et-*C*,*S*)]BF$_4$ (M. Basato, C. Bertani, B. Sesto, M. Zecca, A. Grassi and G. Valle), 277
P-chiral
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187
Phenylsilane
Dehydrogenative cross-coupling reactions between phenylsilane and ethynylbenzene in the presence of metal hydrides (J.-i. Ishikawa, K. Inoue and M. Itoh), 303
Photochemistry
Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative (F.-W. Lee, M.C.-W. Chan, K.-K. Cheung and C.-M. Che), 255
Phthalide
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1

Platinum
Synthesis and structural characterization of Pd(II) and Pt(II) complexes with *P*-bonded 1′-(diphenylphosphino)ferrocenecarboxylic acid (P. Štěpnička, J. Podlaha, R. Gyepes and M. Polášek), 293
Polyethylene
Ethylene polymerization by zirconocene compounds having ether bonds (B.Y. Lee and J.S. Oh), 313
Polymerization
Ethylene polymerization by zirconocene compounds having ether bonds (B.Y. Lee and J.S. Oh), 313
LII. Synthese und Charakterisierung von Bis- und Mono-(η^3-allyl) neodym(III) –chlorid, Nd(η^3-C_3H_5)$_2$Cl · 1.5 THF und Nd(η3-C_3H_5)Cl_2 · 2THF, zur Gewinnung hoch aktiver und selektiver Komplexkatalysatoren für die 1,4-*cis*-Polymerisation des Butadiens (S. Maiwald, R. Taube, H. Hemling and H. Schumann), 195
Poly(pyrazol-1-yl)borate
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-$CH_2C_6H_4P(o\text{-tolyl})_2$-*C*,*P*}{$(pz)_3$BH-*N*,*N*′} and Pd($C_6H_4C_5H_4$N-$C^2$,*N*′){$(pz)_3$BH-*N*,*N*′} (A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. Van Koten), 23
Pyrazolylborates
Metal polypyrazolylborates. XIV. Organomercury(II) complexes with hydridotris(3,5-diphenyl-1*H*-pyrazolyl) borate and hydridotris(4-bromo-1*H*-pyrazolyl) borate. The X-ray crystal structure of [HB(3,5-$Ph_2pz)_3$]HgC_2H_5 (G. Gioia Lobbia, C. Santini, F. Giordano, P. Cecchi and K. Coacci), 31
Pyrrole
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247

Rhenium
Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium-rhenium complexes (T. Gutmann, E. Dombrowski, N. Burzlaff and W.A. Schenk), 91
Metal complexes of biologically important ligands, XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff bases from α-amino acid esters with manganese (I) and rhenium (I) carbonyls (A. Böhm, K. Sünkel, K. Polborn and W. Beck), 237
Ruthenium
Ruthenium bipyridine complexes: synthesis and characterisation of Ru(tmbpy)$(CO)_2Cl_2$, Ru(dmbpy)$(CO)_2Cl_2$ and [Ru(dmbpy)$(CO)_2Cl]_2$ (P. Homanen, M. Haukka, M. Ahlgrén, T.A. Pakkanen, P.N.W. Baxter, R.E. Benfield and J.A. Connor), 205
Ruthenium(II) complex
Reactions of trichloromethanesulfonyl chloride and carbon tetrachloride with silyl enol ethers catalyzed by a ruthenium(II) phosphine complex (N. Kamigata, K. Udodaira, M. Yoshikawa and T. Shimizu), 39

Schiff-bases
Metal complexes of biologically important ligands, XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff bases from α-amino acid esters with manganese (I) and rhenium (I) carbonyls (A. Böhm, K. Sünkel, K. Polborn and W. Beck), 237
Silyl enol ether
Reactions of trichloromethanesulfonyl chloride and carbon tetrachloride with silyl enol ethers catalyzed by a ruthenium(II) phosphine complex (N. Kamigata, K. Udodaira, M. Yoshikawa and T. Shimizu), 39
^{119}Sn NMR spectra
On the assignment of ^{119}Sn resonances of bis[dicarboxylatotetraorganodistannoxanes] in solution and solid state ^{119}Sn NMR spectra (F. Ribot, C. Sanchez, A. Meddour, M. Gielen, E.R.T. Tiekink, M. Biesemans and R. Willem), 177
^{119}Sn resonances
On the assignment of ^{119}Sn resonances of bis[dicarboxylatotetraorganodistannoxanes] in solution and solid state ^{119}Sn NMR spectra (F. Ribot, C. Sanchez, A. Meddour, M. Gielen, E.R.T. Tiekink, M. Biesemans and R. Willem), 177
Solid carbon dioxide
The synthesis and characterisation of heterosubstituted aminoferrocenes (I.R. Butler and S.C. Quayle), 63
Styrene
Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand Prof. Dr. Dr. hc Friedrich Asinger on the occasion of his 90th birthday (R. Bayersdörfer, B. Ganter, U. Englert, W. Keim and D. Vogt), 187
Sulfur ligands
The coordination ability of the organometallic sulfur ligand [Pd_3(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)$_3$] and the XRD structure of its palladium(II) complex [Pd_4(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)(μ_3-MeSCHCO$_2$Et-*C*, κ^2*S*)$_2$(η^2-MeSCHCO$_2$Et-*C*,*S*)]BF_4 (M. Basato, C. Bertani, B. Sesto, M. Zecca, A. Grassi and G. Valle), 277

Tetrahedral coordination
Metal polypyrazolylborates. XIV. Organomercury(II) complexes with hydridotris(3,5-diphenyl-1*H*-pyrazolyl) borate and hydridotris(4-bromo-1*H*-pyrazolyl) borate. The X-ray crystal structure of [HB(3,5-$Ph_2pz)_3$]HgC_2H_5 (G. Gioia Lobbia, C. Santini, F. Giordano, P. Cecchi and K. Coacci), 31
Tetranuclear cation
The coordination ability of the organometallic sulfur ligand [Pd_3(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)$_3$] and the XRD structure of its palladium(II) complex [Pd_4(μ-OAc)$_3$(μ-MeSCHCO$_2$Et-*C*,*S*)(μ_3-MeSCHCO$_2$Et-*C*, κ^2*S*)$_2$(η^2-MeSCHCO$_2$Et-*C*,*S*)]BF_4 (M. Basato, C. Bertani, B. Sesto, M. Zecca, A. Grassi and G. Valle), 277
Transition metal silicon compounds
Synthesis and characterization of new disilane derivatives of tungsten (W. Palitzsch, U. Böhme and G. Roewer), 213
Transmission of substituent effects
Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[(η^6-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] (A. Perjéssy, P. Hrnčiar, Z. Šusteková, K. Bowden, R.J. Ranson, O. Hritzová and N. Prónayová), 1
(Trimethylsilyl)tetramethylcyclopentadiene
Reactions of (trimethylsilyl)tetramethylcyclopentadiene with (benzene)titanium(II) bis(tetrachloroaluminate). Crystal structures of [C_5Me_4($SiMe_3$)]$Ti(AlCl_4)_2$ and {[C_5Me_4($SiMe_3$)]Ti($AlCl_4$)(μ-Cl)}$_2$ (M. Horáček, V. Kupfer, B. Müller, U. Thewalt and K. Mach), 75
Triphenylene
Preparation of (η^6-alkoxytriphenylene)tricarbonyl chromium(0) complexes. Mesomorphic properties of a disk-shaped chromium–arene complex (J.L. Schulte, S. Laschat, R. Schulte-Ladbeck, V. Von Arnim, A. Schneider and H. Finkelmann), 171
Tripodal phosphine
Control of the basicity of the Ir(tdppcymome)(CO)Cl complex with methoxymethyl functional groups at the ligand backbone [tdppcymome = *cis*,*cis*-1,3,5-(PPh_2)$_3$-1,3,5-(CH_2OCH_3)$_3$-C_6H_6] (P. Stößel, W. Heins, H.A. Mayer, W. Hörner, T.S. Ertel and H. Bertagnolli), 229
Tris(*o*-tolyl)phosphine
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-$CH_2C_6H_4P(o\text{-tolyl})_2$-*C*,*P*}{$(pz)_3$BH-*N*,*N*′} and Pd($C_6H_4C_5H_4$N-$C^2$,*N*′){$(pz)_3$BH-*N*,*N*′} (A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. Van Koten), 23

Tungsten
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45
Synthesis and characterization of new disilane derivatives of tungsten (W. Palitzsch, U. Böhme and G. Roewer), 213

Uracil
Au^{III} binding to C5 of the model nucleobase 1,3-dimethyluracil (1,3-DimeU): Preparation and X-ray crystal structures of *trans*-$K[Au(CN)_2Cl(1,3\text{-}DimeU^-)]$ and of two derivatives (F. Zamora, E. Zangrando, M. Furlan, L. Randaccio and B. Lippert), 127

X-ray analysis
Synthese und Charakterisierung neuer Cyclopentadienylarsen-Verbindungen (P. Jutzi, S. Pilotek, B. Neumann and H.-G. Stammler), 221
A tricyclic *N*-pyrrolylborane with an exceptionally stable B–N bond (B. Wrackmeyer, B. Schwarze, W. Milius, R. Boese, O.G. Parchment and G.A. Webb), 247

X-ray crystal analysis
New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [*t*-Bu–HN–$SiMe_2$–*o*-C_6H_4–X] (X = OMe, NMe_2, CH_2NMe_2, CF_3) (B. Goldfuss, P. Von Ragué Schleyer, S. Handschuh and F. Hampel), 285

X-ray structure
Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents (B. Bildstein, M. Malaun, H. Kopacka, K.-H. Ongania and K. Wurst), 45
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric $[YbCp_2F(THF)]_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165
Synthesis and structural characterization of Pd(II) and Pt(II) complexes with *P*-bonded 1′-(diphenylphosphino)ferrocenecarboxylic acid (P. Štěpnička, J. Podlaha, R. Gyepes and M. Polášek), 293

Ytterbium
Organolanthanoids: XXII. The synthesis and X-ray structure of dimeric $[YbCp_2F(THF)]_2$ (Cp = cyclopentadienyl; THF = tetrahydrofuran) (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 165

Zirconium
Bimetallic complexes. IV. Synthesis, dynamic behavior and reactions of $C_5H_4PPh_2$-bridged Zr(II)–Mo(0) complexes (W.A. Schenk and T. Gutmann), 83
Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium-rhenium complexes (T. Gutmann, E. Dombrowski, N. Burzlaff and W.A. Schenk), 91
Ethylene polymerization by zirconocene compounds having ether bonds (B.Y. Lee and J.S. Oh), 313